



China 6204 Bearing Supplier



16002 Bearing 2D drawings and 3D CAD models

premium brand thin section type 16002 6002
6202 6302 rmx 2rs ZZ deep groove ball bearing
japan ntn nsk bearings

Bearing No. 16002

Size	15x32x8 mm
Bore Diameter	15 mm
Outer Diameter	32 mm
Width	8 mm
d	15 mm
D	32 mm
B	8 mm
C	8 mm
r min.	0,3 mm
da min.	17 mm
Da max.	30 mm
ra max.	0,3 mm
Weight	0,027 Kg
Basic dynamic load rating (C)	5,6 kN
Basic static load rating (C0)	2,83 kN
(Grease) Lubrication Speed	24 000 r/min
(Oil) Lubrication Speed	28 000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.02
EAN	0029176059377
Product Group	B00308



China 6204 Bearing Supplier

Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	15MM Bore; 32MM Outside Diameter; 8MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Weight / LBS	0.044
Outside Diameter	1.26 Inch 32 Millimeter
Bore	0.591 Inch 15 Millimeter
Outer Race Width	0.315 Inch 8 Millimeter
bore diameter:	15 mm
closure type:	Open
outside diameter:	32 mm
internal clearance:	Normal Clearance
overall width:	8 mm
manufacturer upc number:	029176059377
bore type:	Round



China 6204 Bearing Supplier

SRI	2.46
hidYobi	16002
LangID	1
D_	32
SREX	0.015
B_	8
da min	17
hidTable	ecat_NSRDGB
Oil rpm	28000
SRE	2.46
mass	0.027
GRS rpm	24000
ra	0.3
SRIX	0.015
D_a	30
SRIN	-0.015
C0	2.83
fo	13.9
SREN	-0.015
DE_	28.262
Prod_Type3	DGBB_SR_OT
DA_	4.762
bomp	0
Z_	9
yobi	16002
C_conv	5600
ALPHA_	0
SDM_	23.5
r	0.3
KBRG	6101
SBRG	0
DI_	18.738



China 6204 Bearing Supplier